PREFERRED AND RESTRICTED MEDICATIONS

Certain medications are restricted and prohibited while a person is in treatment at The Haven.

If a client is taking a restricted medication, they will be expected to quickly taper off of it or change to a non-restricted medication under medical supervision. (Under very RARE conditions, medical staff may deem it necessary for a client to remain on a restricted medication).

In most cases, The Haven's medical provider can assist in finding a suitable alternative when necessary. For medications requiring a taper for discontinuation, The Haven asks that a person entering treatment come with the prescription for the taper whenever possible.

When entering treatment with over-the-counter (OTC) medications, such medications must be in their original, unopened packaging.

Below is a list of some common restricted medications, along with recommendations for preferred alternatives.

IMPORTANT NOTICE: This list is not exhaustive, and *all* medications (including over-the-counter, or OTC, medications) will be reviewed by staff and may or may not be approved for continued use while enrolled at The Haven.

PREFERRED • Suboxone (clients taking Suboxone will be required to taper and get the Sublocade injection while at The Haven.) • Sublocade • Vivitrol (Naltrexone) • Methadone (if taking methadone, clients	MEDICATION-ASSISTED TREATMENT (MAT)		
required to taper and get the Sublocade injection while at The Haven.) • Vivitrol (Naltrexone)	RESTRICTED	PREFERRED	
must dose at, or transfer to, Project Reality prior to admission).	required to taper and get the Sublocade	 Vivitrol (Naltrexone) Methadone (if taking methadone, clients must dose at, or transfer to, Project Reality 	

PAIN MEDICATIONS		
RESTRICTED	PREFERRED	
 All opioid pain medications: hydrocodone (Norco), oxycodone (Percocet), Tramadol, OxyContin, Dilaudid, Morphine, Codeine, etc. Exceptions: Acute post-surgical short-term pain management, to be coordinated with 	 NSAIDS: Ibuprofen, Naproxen, Celebrex, Meloxicam, Aspirin. Tylenol (Acetaminophen). 	
your treatment team and clinic prior to taking the medication.		

COLD, FLU AND ALLERGY MEDICATIONS		
RESTRICTED	PREFERRED	
 Dextromethorphan (including Allegra D, Claritin D, Mucinex D, or any cough/cold product containing dextromethorphan) Sudafed products (pseudoephedrine) Codeine-based products. OTC alcohol-based cough/cold medication (Nyquil, etc.) Diphenhydramine (Benadryl), (except for acute allergic reactions, MUST BE APPROVED BY MEDICAL ASSISTANT/COORDINATOR). 	 • Mucinex (guaifenesin) for cough and chest congestion. • Nasal saline spray (Ocean Mist) for stuffy or runny nose. • Cough drops OTC for cough. • Throat lozenges OTC for sore throat • Tylenol (acetaminophen), or Motrin (ibuprofen) or Alleve (naproxin) for headache, body aches, fever • Steroid nose sprays like Flonase OTC or by prescription • Claritin (loratadine), Allegra (fexofenadine), Zyrtec (cetirizine). 	

STIMULANTS / WEIGHT-LOSS / ADHD MEDICATIONS		
RESTRICTED	PREFERRED	
All stimulants including: • Adderall, Dexedrine, (dextroamphetamine) • Ritalin/Concerta (methylphenidate) • Vyvanse (lisdexamphetamine) • Focalin (dexmethylphenidate) • Nuvigil (armodafinil) • Provigil (modafinil).	By prescription only for ADHD: • Strattera (atomoxetine) • Wellbutrin (bupropion) • Intuniv (guanfacine)	

SLEEP MEDICATIONS		
RESTRICTED	PREFERRED	
AmbienLunestaSonataBelsomraRestoril (temazepam)	 Melatonin By prescription only: Trazodone Seroquel Prazosin 	

OTHER RESTRICTED MEDICATIONS

Gabapentinoids:

- Gabapentin and Lyrica;
- Artane (trihexyphenidyl) (Not permitted unless deemed necessary in severe medical cases with supporting documentation.)

Benzodiazepines:

• All benzos, including: Librium, Xanax, Klonopin, Ativan, Valium, and Phenobarbital.

Cannabis:

• Medical Cannabis is not permitted, even with a medical-cannabis card.

Muscle relaxers:

· All muscle relaxants, including: Soma, Baclofen, Robaxin, Skelaxin, Flexeril, Valium.

Testosterone replacement / men's health:

· Not permitted during residential treatment unless prescribed and managed by an endocrinologist.

PDE inhibitors (prohibited for ED):

• Stendra (avanafil), Levitra (vardenafil), Cialis (tadalafil), Viagra (sildenafil). (Exception: PDE inhibitors may be used for pulmonary hypertension or other cardiac conditions as deemed necessary and prescribed by the provider.)